

## Sales Enquiries

Call: 01179 414 999

Buy online: [shop.expressencap.co.uk](http://shop.expressencap.co.uk)

Email: [sales@expressencap.co.uk](mailto:sales@expressencap.co.uk)



# ExcelTopic-380 Professional Desktop Laminator

A professional, Print-On-Demand desktop laminating machine designed for print and copy shops who batch produce posters, photos, info cards and menus.



## Sales Enquiries

Call: 01179 414 999

Buy online: [shop.expressencap.co.uk](http://shop.expressencap.co.uk)

Email: [sales@expressencap.co.uk](mailto:sales@expressencap.co.uk)

### Specs

- Production dimensions: 700mm x 630mm x 560mm
- Min paper size: 180mm x 210mm
- Max paper size: 380mm x 500mm
- Max film thickness 43 micron
- Max substrate thickness 350g/m<sup>2</sup>
- Suitable for BOPP & Digital BOPP, PET & Nylon Lamination Films
- Suitable for Sleeking Foils
- Semi-automatic paper feed with patented gap control system
- Electric Cam System
- Super Polished Metal Roller
- Top & In-line Perforator
- Hot Roller
- Metal Roller Sensor
- Special Decurling Bar
- No compressor required
- Uses household power supply

### Benefits

- Increase productivity by correctly spacing the sheets to be laminated with the automatic paper gap controller
- Create more pressure and provide a smoother surface for a superior lamination finish with the Super Polished Metal Rollers
- Easily remove sheets without risk of rips or tears to paper with the top and in-line perforator creating perfect bursting results.
- Achieve better glue adhesion to print minimising silvering or micro-bubbling with hot rollers.
- Keep roller at a constant temperature with fast and precise temperature control
- Keep sheets flat with the special decurling bar
- Uses household power supply (220~240V) - no special connector required
- No compressor required > Lower operating noise
- Embossing roller (Optional) creating Fine, Leather, Sparkle, Silky and Linen Textures. Ask for details



## Sales Enquiries

Call: 01179 414 999

Buy online: [shop.expressencap.co.uk](http://shop.expressencap.co.uk)

Email: [sales@expressencap.co.uk](mailto:sales@expressencap.co.uk)



### Best Results

- Always ensure the machine is warmed up to correct temperature before operating. Ensure rollers are always clean and free from debris. Only suitable for laminating films up to 43 micron. Use in conjunction with [Express Digital Laminating films](#)

### Good to Know

- Perfect for laminating posters, menus, book covers, photographs, business cards, gift certificates and labels in batch production with professional results. Need to encapsulate as well as laminate? Try the [SurelamPro](#)

## Sales Enquiries

Call: 01179 414 999

Buy online: [shop.expressencap.co.uk](http://shop.expressencap.co.uk)

Email: [sales@expressencap.co.uk](mailto:sales@expressencap.co.uk)

### Specs

Model Name	ExcelTopic-380
Dimensions (W x L x H, mm)	700mm x 630mm x 560mm
Lamination Speed (m/min)	1.5 ~ 8
Paper Size (W x L, mm)	Max 380 x 500 Min 180 x 210
Laminating Films	tbc
Substrate Thickness	120 ~ 350g/m <sup>2</sup>
Front Roller Diameter	Top: High Glossy Chrome Ø80 Bottom: Silicon Ø80
Rear Roller Diameter	Silicon Ø40
Power Requirement	AC 220 ~ 240V, 50/60Hz, 12A
Power Consumption	2.8kw
Warm-up Time	5 min.
Heating System	Infrared Heater
Laminating Temperature	Max 150°C
Temperature Control	Jog Dial
Speed Control	Jog Dial
Display	LCD Panel
Roller Pressure	Manual
Film Core Size	77mm (3")
Temperature Sensing	Thermo-couple inserted into roller shell