



Sales Enquiries

Call: 01179 414 999

Buy online: shop.expressencap.co.uk

Email: sales@expressencap.co.uk



SKY 335-R6 Heavy Duty Home Pouch Laminating Machine (A3)

Advanced home desktop laminating machine designed for producing professional grade documents, photos, ID cards, postcards and other materials up to A3 size.



Sales Enquiries

Call: 01179 414 999

Buy online: shop.expressencap.co.uk

Email: sales@expressencap.co.uk

Specs

- Production dimensions: 120mm x 540mm x 280mm
- Laminates from ID size to A3
- Max pouch thickness 700 microns
- Max laminating width 335mm
- Speed of 1350mm per minute
- Heavy duty all metal design
- LCD display
- Heavy duty roller
- Digital speed and temperature control
- 6 rollers (4 heated)
- 5 minute warmup time
- Auto power off (after 2 hours)
- Pre-set memory function (2 settings)
- Cold laminating setting
- Standby mode
- Reverse function for removing trapped pouches
- 1 year warranty

Benefits

- Compact and easy to use on a desktop
- LCD readout display for accurate temperature setting
- High speed lamination at 1350mm/min
- Can handle thicker pouches up to 700 micron
- Digital temperature adjustment for accurate setting
- 4 heated rollers provides greater pressure and heat for better results
- Works with cold laminating pouches
- Easy remove trapped pouches with quick release lever

Best Results

- Always ensure machine is warmed up to correct temperature before operating
- Ensure rollers are always clean and free from debris
- Suitable for laminating films up to 700 micron thickness
- Use in conjunction with [Express Laminating Pouches](#)



Sales Enquiries

Call: 01179 414 999

Buy online: shop.expressencap.co.uk

Email: sales@expressencap.co.uk

Good to Know

- Perfect for encapsulating posters, menus, business cards and flyers.
- Need to upgrade? Try the [SurelamPro 500D](#)



Sales Enquiries

Call: 01179 414 999

Buy online: shop.expressencap.co.uk

Email: sales@expressencap.co.uk

Specs

Model Name	SKY 335-R6 Heavy Duty Home Pouch Laminating Machine (A3)
Dimensions (W x L x H, mm)	120mm x 540mm x 280mm
Lamination Speed (m/min)	1.3
Max Laminating Width (mm)	340
Film Thickness (micron)	25 ~ 500
Substrate Thickness (g/m ²)	80 ~ 350
Laminating Pouches	Express Laminating Pouches
Warm Up Time	4 - 6 mins
Heating System	Hot Plate
Variable Temperature Control	Yes
Cold Lamination	Yes
Number of Rollers	4
Power Consumption	230V 450W